# **Complete Summary**

#### **TITLE**

Pediatric end stage renal disease (ESRD): percentage of patients aged 6 months through 17 years with a diagnosis of ESRD and receiving dialysis seen for a visit between November 1 and February 15 of the one-year measurement period who have documented administration of influenza immunization OR patient reported receipt of an influenza immunization from another provider.

# SOURCE(S)

American Society of Pediatric Nephrology, Physician Consortium for Performance Improvement®. Pediatric end stage renal disease physician performance measurement set. Chicago (IL): American Medical Association (AMA); 2008 Aug. 12 p. [6 references]

## **Measure Domain**

#### **PRIMARY MEASURE DOMAIN**

**Process** 

The validity of measures depends on how they are built. By examining the key building blocks of a measure, you can assess its validity for your purpose. For more information, visit the <u>Measure Validity</u> page.

#### **SECONDARY MEASURE DOMAIN**

Does not apply to this measure

#### **Brief Abstract**

## **DESCRIPTION**

This measure is used to assess the percentage of patients aged 6 months through 17 years with a diagnosis of end stage renal disease (ESRD) and receiving dialysis seen for a visit between November 1 and February 15 of the one-year measurement period who have documented administration of influenza immunization OR patient reported receipt of an influenza immunization from another provider.

#### **RATIONALE**

Vaccinating children with pediatric end stage renal disease is an important aspect of care in order to potentially decrease hospitalization rates, morbidity, and mortality in this vulnerable population.

## Opportunity for Improvement

United States Renal Data System (USRDS) data show that between 2002-2005 only 30.1% of white pediatric end stage renal disease patients and 24.8% of African American pediatric end stage renal disease patients received the influenza immunization.

Infectious disease is a common reason for hospitalization, morbidity, and mortality among pediatric end stage renal disease patients. All-cause hospital admission rates for pediatric end stage renal disease patients was 14% higher in 2005 when compared to all-cause hospital admission rates for adults. Hospitalizations for infections are also higher in children with end stage renal disease (46%) than in adults.\*

\*The following evidence statements are quoted verbatim from the referenced clinical guidelines:

Vaccination of all children aged 6 months to 18 years should begin before or during the 2008-09 influenza season if feasible, but no later than during the 2009-10 influenza season. Vaccination of all children aged 5-18 years is a new Advisory Committee on Immunization Practices (ACIP) recommendation. (Centers for Disease Control and Prevention [CDC]/ACIP, 2008)

Children and adolescents at high risk for influenza complications should continue to be a focus of vaccination efforts as providers and programs transition to routinely vaccinating all children and adolescents. Recommendations for these children have not changed. Children and adolescents at higher risk for influenza complication are those:

- Aged 6 months to 4 years
- Who have chronic pulmonary (including asthma), cardiovascular (except hypertension), renal, hepatic, hematological, or metabolic disorders (including diabetes mellitus)
- Who are immunosuppressed (including immunosuppression caused by medication or by human immunodeficiency virus) (CDC/ACIP, 2008)

All children aged 6 months to 8 years who have not received vaccination against influenza previously should receive 2 doses of the vaccine the first influenza season they are vaccinated. The second dose should be administered 4 or more weeks after the initial dose. (CDC/ACIP, 2008)

#### PRIMARY CLINICAL COMPONENT

Pediatric; end stage renal disease (ESRD); dialysis; influenza immunization

#### **DENOMINATOR DESCRIPTION**

All patients aged 6 months through 17 years with a diagnosis of end stage renal disease (ESRD) and receiving dialysis seen for a visit between November 1 and February 15 of the one-year measurement period (see the related "Denominator Inclusions/Exclusions" field in the Complete Summary)

## NUMERATOR DESCRIPTION

Patients who have documented administration of an influenza immunization OR patient reported receipt of influenza immunization from another provider (see the related "Numerator Inclusions" field in the Complete Summary)

# **Evidence Supporting the Measure**

# **EVIDENCE SUPPORTING THE CRITERION OF QUALITY**

 A clinical practice guideline or other peer-reviewed synthesis of the clinical evidence

# **Evidence Supporting Need for the Measure**

#### **NEED FOR THE MEASURE**

Overall poor quality for the performance measured

# **EVIDENCE SUPPORTING NEED FOR THE MEASURE**

United States Renal Data System 2007 annual data report. Vol. 1, Atlas of chronic kidney disease and end-stage renal disease in the United States. Bethesda (MD): National Institutes of Health, National Institute of Diabetes and Digestive and Kidney Diseases; 2007. 320 p.

# **State of Use of the Measure**

#### STATE OF USE

Current routine use

#### **CURRENT USE**

Internal quality improvement National reporting

# **Application of Measure in its Current Use**

#### CARE SETTING

Ambulatory Care Physician Group Practices/Clinics

## PROFESSIONALS RESPONSIBLE FOR HEALTH CARE

Physicians

# **LOWEST LEVEL OF HEALTH CARE DELIVERY ADDRESSED**

Individual Clinicians

# **TARGET POPULATION AGE**

Age 17 years and younger

# **TARGET POPULATION GENDER**

Either male or female

# STRATIFICATION BY VULNERABLE POPULATIONS

Unspecified

# **Characteristics of the Primary Clinical Component**

# INCIDENCE/PREVALENCE

See the "Rationale" field.

# **ASSOCIATION WITH VULNERABLE POPULATIONS**

See the "Rationale" field.

# **BURDEN OF ILLNESS**

See the "Rationale" field.

#### **UTILIZATION**

See the "Rationale" field.

#### **COSTS**

Unspecified

# **Institute of Medicine National Healthcare Quality Report Categories**

# **IOM CARE NEED**

Living with Illness Staying Healthy

# **IOM DOMAIN**

Effectiveness

#### **CASE FINDING**

Users of care only

#### **DESCRIPTION OF CASE FINDING**

All patients aged 6 months through 17 years with a diagnosis of end stage renal disease (ESRD) and receiving dialysis seen for a visit between November 1 and February 15 of the one-year measurement period

## **DENOMINATOR SAMPLING FRAME**

Patients associated with provider

# **DENOMINATOR INCLUSIONS/EXCLUSIONS**

#### **Inclusions**

All patients aged 6 months through 17 years with a diagnosis of end stage renal disease (ESRD) and receiving dialysis seen for a visit between November 1 and February 15 of the one-year measurement period

Note: Refer to the original measure documentation for administrative codes.

#### **Exclusions**

- Documentation of medical reason(s) for not receiving influenza immunization (e.g., patient allergy, other contraindication)
- Documentation of patient reason(s) for not receiving the influenza immunization (e.g., patient/caregiver declined)
- Documentation of system reason(s) for not receiving the influenza immunization (e.g., vaccine not available)

**Note**: Refer to the original measure documentation for administrative codes.

#### RELATIONSHIP OF DENOMINATOR TO NUMERATOR

All cases in the denominator are equally eligible to appear in the numerator

# **DENOMINATOR (INDEX) EVENT**

Clinical Condition Encounter Therapeutic Intervention

#### **DENOMINATOR TIME WINDOW**

Time window is a single point in time

## **NUMERATOR INCLUSIONS/EXCLUSIONS**

#### **Inclusions**

Patients who have documented administration of an influenza immunization OR patient reported receipt of influenza immunization from another provider

Note: Children with renal disease should receive *inactivated* flu vaccine.

#### **Exclusions**

None

# MEASURE RESULTS UNDER CONTROL OF HEALTH CARE PROFESSIONALS, ORGANIZATIONS AND/OR POLICYMAKERS

The measure results are somewhat or substantially under the control of the health care professionals, organizations and/or policymakers to whom the measure applies.

#### **NUMERATOR TIME WINDOW**

Fixed time period

#### **DATA SOURCE**

Administrative data Medical record

# LEVEL OF DETERMINATION OF QUALITY

Individual Case

# **PRE-EXISTING INSTRUMENT USED**

Unspecified

# **Computation of the Measure**

### **SCORING**

Rate

#### **INTERPRETATION OF SCORE**

Better quality is associated with a higher score

#### **ALLOWANCE FOR PATIENT FACTORS**

Unspecified

# STANDARD OF COMPARISON

Internal time comparison

# **Evaluation of Measure Properties**

#### **EXTENT OF MEASURE TESTING**

Unspecified

# **Identifying Information**

#### **ORIGINAL TITLE**

Measure #2: influenza immunization: pediatric end stage renal disease.

### **MEASURE COLLECTION**

The Physician Consortium for Performance Improvement® Measurement Sets

#### **MEASURE SET NAME**

Pediatric End Stage Renal Disease Physician Performance Measurement Set

# **SUBMITTER**

American Medical Association on behalf of the American Society of Pediatric Nephrology and Physician Consortium for Performance Improvement

## **DEVELOPER**

American Society of Pediatric Nephrology Physician Consortium for Performance Improvement®

# **FUNDING SOURCE(S)**

Unspecified

### COMPOSITION OF THE GROUP THAT DEVELOPED THE MEASURE

Barbara Fivush, MD (*Co-Chair*); William Haley, MD (*Co-Chair*); Sharon Andreoli, MD; Craig B. Langman, MD; Eileen Brewer, MD; Sharon A. Perlman, MD; Leona Cuttler, MD; Paul Rockswold, MD, MPH; Richard Goldman, MD; Brad Warady, MD; Stuart Goldstein, MD; Steven J. Wassner, MD; John Foreman, MD

American Society of Pediatric Nephrology: Domenic Ruscio; Jennifer Shevcheck; Kathryn Schubert

Renal Physicians Association: Holly Owens; Dale Singer

American Medical Association: Kerri Fei, MSN, RN; Kendra Hanely, MS, CHE; Karen Kmetik, PhD; Shannon Sims, PhD

Consortium Consultants: Rebecca Kresowik; Timothy Kresowik, MD

# FINANCIAL DISCLOSURES/OTHER POTENTIAL CONFLICTS OF INTEREST

Conflicts, if any, are disclosed in accordance with the Physician Consortium for Performance Improvement® conflict of interest policy.

#### **INCLUDED IN**

Ambulatory Care Quality Alliance Physician Quality Reporting Initiative

#### **ADAPTATION**

Measure was not adapted from another source.

#### **RELEASE DATE**

2008 Aug

#### **MEASURE STATUS**

This is the current release of the measure.

# SOURCE(S)

American Society of Pediatric Nephrology, Physician Consortium for Performance Improvement®. Pediatric end stage renal disease physician performance measurement set. Chicago (IL): American Medical Association (AMA); 2008 Aug. 12 p. [6 references]

#### **MEASURE AVAILABILITY**

The individual measure, "Measure #2: Influenza Immunization: Pediatric End Stage Renal Disease," is published in "Pediatric End Stage Renal Disease Physician Performance Measurement Set." This document and technical specifications are available in Portable Document Format (PDF) from the American Medical Association (AMA)-convened Physician Consortium for Performance Improvement® Web site: <a href="https://www.physicianconsortium.org">www.physicianconsortium.org</a>.

### **NQMC STATUS**

This NQMC summary was completed by ECRI Institute on December 8, 2008. The information was verified by the measure developer on February 9, 2009.

#### **COPYRIGHT STATEMENT**

© 2008 American Medical Association. All Rights Reserved.

CPT® Copyright 2007 American Medical Association

#### Disclaimer

# **NQMC DISCLAIMER**

The National Quality Measures Clearinghouse™ (NQMC) does not develop, produce, approve, or endorse the measures represented on this site.

All measures summarized by NQMC and hosted on our site are produced under the auspices of medical specialty societies, relevant professional associations, public and private organizations, other government agencies, health care organizations or plans, individuals, and similar entities.

Measures represented on the NQMC Web site are submitted by measure developers, and are screened solely to determine that they meet the NQMC Inclusion Criteria which may be found at  $\frac{1}{2} \frac{1}{2} \frac{1}{2}$ 

http://www.qualitymeasures.ahrq.gov/about/inclusion.aspx.

NQMC, AHRQ, and its contractor ECRI Institute make no warranties concerning the content or its reliability and/or validity of the quality measures and related materials represented on this site. The inclusion or hosting of measures in NQMC may not be used for advertising or commercial endorsement purposes.

Readers with questions regarding measure content are directed to contact the measure developer.

© 2009 National Quality Measures Clearinghouse

Date Modified: 3/2/2009

